

# Chapter 3

## Relational Database Languages: Relational Algebra

We first consider only *query* languages.

**Relational Algebra:** Queries are expressions over operators and relation names.

**Relational Calculus:** Queries are special formulas of first-order logic with free variables.

**SQL:** Combination from algebra and calculus and additional constructs. Widely used DML for relational databases.

**QBE:** Graphical query language.

**Deductive Databases:** Queries are logical rules.

70

## RELATIONAL DATABASE LANGUAGES: COMPARISON AND OUTLOOK

### Remark:

- Relational Algebra and (safe) Relational Calculus have the same expressive power. For every expression of the algebra there is an equivalent expression in the calculus, and vice versa.
- A query language is called **relationally complete**, if it is (at least) as expressive as the relational algebra.
- These languages are compromises between efficiency and expressive power; they are not computationally complete (i.e., they cannot simulate a Turing Machine).
- They can be embedded into host languages (e.g. C++ or Java) or extended (PL/SQL), resulting in full computational completeness.
- Deductive Databases (Datalog) are more expressive than relational algebra and calculus.

71

## 3.1 Relational Algebra: Computations over Relations

### Operations on Tuples – Overview Slide

Let  $\mu \in \text{Tuple}(\bar{X})$  where  $\bar{X} = \{A_1, \dots, A_k\}$ .

(Formal definition of  $\mu$  see Slide 59)

- For  $\emptyset \subset \bar{Y} \subseteq \bar{X}$ , the expression  $\mu[\bar{Y}]$  denotes the **projection** of  $\mu$  to  $\bar{Y}$ .

Result:  $\mu[\bar{Y}] \in \text{Tuple}(\bar{Y})$  where  $\mu[\bar{Y}](A) = \mu(A), A \in \bar{Y}$ .

- A **selection condition**  $\alpha$  (wrt.  $\bar{X}$ ) is an expression of the form  $A \theta B$  or  $A \theta c$ , or  $c \theta A$  where  $A, B \in \bar{X}$ ,  $\text{dom}(A) = \text{dom}(B)$ ,  $c \in \text{dom}(A)$ , and  $\theta$  is a **comparison operator** on that domain like e.g.  $\{=, \neq, \leq, <, \geq, >\}$ .

A tuple  $\mu \in \text{Tuple}(\bar{X})$  **satisfies** a selection condition  $\alpha$ , if – according to  $\alpha$  –  $\mu(A) \theta \mu(B)$  or  $\mu(A) \theta c$ , or  $c \theta \mu(A)$  holds.

These (atomic) selection conditions can be combined to formulas by using  $\wedge, \vee, \neg$ , and  $(, )$ .

- For  $\bar{Y} = \{B_1, \dots, B_k\}$ , the expression  $\mu[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k]$  denotes the **renaming** of  $\mu$ .

Result:  $\mu[\dots, A_i \rightarrow B_i, \dots] \in \text{Tuple}(\bar{Y})$  where  $\mu[\dots, A_i \rightarrow B_i, \dots](B_i) = \mu(A_i)$  for  $1 \leq i \leq k$ .

72

Let  $\mu \in \text{Tuple}(\bar{X})$  where  $\bar{X} = \{A_1, \dots, A_k\}$ .

### Projection

For  $\emptyset \subset \bar{Y} \subseteq \bar{X}$ , the expression  $\mu[\bar{Y}]$  denotes the **projection** of  $\mu$  to  $\bar{Y}$ .

Result:  $\mu[\bar{Y}] \in \text{Tuple}(\bar{Y})$  where  $\mu[\bar{Y}](A) = \mu(A), A \in \bar{Y}$ .

projection to a given set of attributes

### Example 3.1

Consider the relation schema  $R(\bar{X}) = \text{continent}(\text{Name}, \text{Area}): \bar{X} = [\text{Name}, \text{Area}]$

and the tuple  $\mu = \boxed{\text{“Asia”, 4.50953e+07}}$ .

formally:  $\mu(\text{Name}) = \text{“Asia”}, \mu(\text{Area}) = 4.5E7$

**projection attributes:** Let  $\bar{Y} = [\text{Name}]$

Result:  $\mu[\text{Name}] = \boxed{\text{“Asia”}}$

□

73

Again,  $\mu \in \text{Dup}(\bar{X})$  where  $\bar{X} = \{A_1, \dots, A_k\}$ .

### Selection

A **selection condition**  $\alpha$  (wrt.  $\bar{X}$ ) is an expression of the form  $A \theta B$  or  $A \theta c$ , or  $c \theta A$  where  $A, B \in \bar{X}$ ,  $\text{dom}(A) = \text{dom}(B)$ ,  $c \in \text{dom}(A)$ , and  $\theta$  is a **comparison operator** on that domain like e.g.  $\{=, \neq, \leq, <, \geq, >\}$ .

A tuple  $\mu \in \text{Dup}(\bar{X})$  **satisfies** a selection condition  $\alpha$ , if – according to  $\alpha$  –  $\mu[A] \theta \mu[B]$  or  $\mu[A] \theta c$ , or  $c \theta \mu[A]$  holds.

yes/no-selection of tuples (without changing the tuple)

### Example 3.2

Consider again the relation schema  $R(\bar{X}) = \text{continent}(\text{Name}, \text{Area})$ :  $\bar{X} = [\text{Name}, \text{Area}]$ .

Selection condition:  $\text{Area} > 10.000.000$ .

Consider again the tuple  $\mu = \boxed{\text{“Asia”, } 4.50953\text{e}+07}$ .

formally:  $\mu(\text{Name}) = \text{“Asia”}$ ,  $\mu(\text{Area}) = 4.5E7$

check:  $\mu(\text{Area}) > 10.000.000$

Result: yes. □

These (atomic) selection conditions can be combined to formulas by using  $\wedge$ ,  $\vee$ ,  $\neg$ , and  $(, )$ .

74

Let  $\mu \in \text{Dup}(\bar{X})$  where  $\bar{X} = \{A_1, \dots, A_k\}$ .

### Renaming

For  $\bar{Y} = \{B_1, \dots, B_k\}$ , the expression  $\mu[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k]$  denotes the **renaming** of  $\mu$ .

Result:  $\mu[\dots, A_i \rightarrow B_i, \dots] \in \text{Dup}(\bar{Y})$  where  $\mu[\dots, A_i \rightarrow B_i, \dots](B_i) = \mu(A_i)$  for  $1 \leq i \leq k$ .

renaming of attributes (without changing the tuple)

### Example 3.3

Consider (for a tuple of the table  $R(\bar{X}) = \text{encompasses}(\text{Country}, \text{Continent}, \text{Percent})$ ):

$\bar{X} = [\text{Country}, \text{Continent}, \text{Percent}]$ .

Consider the tuple  $\mu = \boxed{\text{“R”, “Asia”, } 80}$ .

formally:  $\mu(\text{Country}) = \text{“R”}$ ,  $\mu(\text{Continent}) = \text{“Asia”}$ ,  $\mu(\text{Percent}) = 80$

Renaming:  $\bar{Y} = [\text{Code}, \text{Name}, \text{Percent}]$

Result: a new tuple

$\mu[\text{Country} \rightarrow \text{Code}, \text{Continent} \rightarrow \text{Name}, \text{Percent} \rightarrow \text{Percent}] = \boxed{\text{“R”, “Asia”, } 80}$  that now fits into the schema  $\text{new\_encompasses}(\text{Code}, \text{Name}, \text{Percent})$ . □

The usefulness of renaming will become clear later ...

75

## EXPRESSIONS IN THE RELATIONAL ALGEBRA

### What is an algebra?

- An algebra consists of a "domain" (i.e., a set of "things"), and a set of operators.
- Operators map elements of the domain to other elements of the domain.
- Each of the operators has a "semantics", that is, a definition how the result of applying it to some input should look like.
- **Algebra expressions** are built over basic constants and operators (inductive definition).

### Relational Algebra

- The "domain" consists of all relations (over arbitrary sets of attributes).
- The operators are then used for combining relations, and for describing computations - e.g., in SQL.
- **Relational algebra expressions** are defined inductively over relations and operators.
- Relational algebra expressions define queries against a relational database.

76

## INDUCTIVE DEFINITION OF EXPRESSIONS

### Atomic Expressions

- For an arbitrary attribute  $A$  and a constant  $a \in \text{dom}(A)$ , the **constant relation**  $A : \{a\}$  is an algebra expression.

Format:  $[A]$

Result relation:  $\{a\}$

<b>A: {a}</b>
<b>A</b>
<b>a</b>

- Given a database schema  $\mathbf{R} = \{R_1(\bar{X}_1), \dots, R_n(\bar{X}_n)\}$ , every relation name  $R_i$  is an algebra expression.

Format of  $R_i$ :  $\bar{X}_i$

Result relation (wrt. a given database state  $\mathcal{S}$ ): the relation  $\mathcal{S}(R_i)$  that is currently stored in the database.

77

## Structural Induction: Applying an Operator

- takes one or more input relations  $in_1, in_2, \dots$
- produces a result relation  $out$ :
  - $out$  has a **format**, depends on the formats of the input relations.
  - $out$  is a relation, i.e., it contains some tuples, depends on the content of the input relations.

78

## BASE OPERATORS

Let  $\bar{X}, \bar{Y}$  formats and  $r \in \text{Rel}(\bar{X})$  and  $s \in \text{Rel}(\bar{Y})$  relations over  $\bar{X}$  and  $\bar{Y}$ .

### Union

Assume  $r, s \in \text{Rel}(\bar{X})$ .

Result format of  $r \cup s$ :  $\bar{X}$

Result relation:  $r \cup s = \{\mu \in \text{Tup}(\bar{X}) \mid \mu \in r \text{ or } \mu \in s\}$ .

$$r = \begin{array}{ccc} \hline A & B & C \\ a & b & c \\ d & a & f \\ c & b & d \end{array}$$
$$s = \begin{array}{ccc} \hline A & B & C \\ b & g & a \\ d & a & f \end{array}$$
$$r \cup s = \begin{array}{ccc} \hline A & B & C \\ a & b & c \\ d & a & f \\ c & b & d \\ b & g & a \end{array}$$

79

## Set Difference

Assume  $r, s \in \text{Rel}(\bar{X})$ .

Result format of  $r \setminus s$ :  $\bar{X}$

Result relation:  $r \setminus s = \{\mu \in r \mid \mu \notin s\}$ .

$$r = \begin{array}{ccc} \hline A & B & C \\ a & b & c \\ d & a & f \\ c & b & d \end{array}$$

$$s = \begin{array}{ccc} \hline A & B & C \\ b & g & a \\ d & a & f \end{array}$$

$$r \setminus s = \begin{array}{ccc} \hline A & B & C \\ a & b & c \\ c & b & d \end{array}$$

80

## Projection

Assume  $r \in \text{Rel}(\bar{X})$  and  $\bar{Y} \subseteq \bar{X}$ .

Result format of  $\pi[\bar{Y}](r)$ :  $\bar{Y}$

Result relation:  $\pi[\bar{Y}](r) = \{\mu[\bar{Y}] \mid \mu \in r\}$ .

### Example 3.4

<b>Continent</b>	
<b>Name</b>	<b>Area</b>
Europe	9562489.6
Africa	3.02547e+07
Asia	4.50953e+07
America	3.9872e+07
Australia	8503474.56

Let  $\bar{Y} = [Name]$

$$\mu_1[Name] = \text{"Europe"}$$

$$\mu_2[Name] = \text{"Africa"}$$

$$\mu_3[Name] = \text{"Asia"}$$

$$\mu_4[Name] = \text{"America"}$$

$$\mu_5[Name] = \text{"Australia"}$$

$\pi[Name](\mathbf{Continent})$
<b>Name</b>
Europe
Africa
Asia
America
Australia

□

81

## Selection

Assume  $r \in \text{Rel}(\bar{X})$  and a selection condition  $\alpha$  over  $\bar{X}$ .

Result format of  $\sigma[\alpha](r)$ :  $\bar{X}$

Result relation:  $\sigma[\alpha](r) = \{\mu \in r \mid \mu \text{ satisfies } \alpha\}$ .

### Example 3.5

<b>Continent</b>	
<b>Name</b>	<b>Area</b>
Europe	9562489.6
Africa	3.02547e+07
Asia	4.50953e+07
America	3.9872e+07
Australia	8503474.56

Let  $\alpha = \text{"Area} > 10.000.000\text{"}$

$\mu_1(\text{Area}) < 10.000.000$  no

$\mu_2(\text{Area}) > 10.000.000$  yes

$\mu_3(\text{Area}) > 10.000.000$  yes

$\mu_4(\text{Area}) > 10.000.000$  yes

$\mu_5(\text{Area}) < 10.000.000$  no

$\sigma[\text{Area} > 10E6](\text{Continent})$	
<b>Name</b>	<b>Area</b>
Africa	3.02547e+07
Asia	4.50953e+07
America	3.9872e+07

□

## Renaming

Assume  $r \in \text{Rel}(\bar{X})$  with  $X = [A_1, \dots, A_k]$  and a renaming  $[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k]$ .

Result format of  $\rho[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k](r)$ :  $[B_1, \dots, B_k]$

Result relation:  $\rho[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k](r) = \{\mu[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k] \mid \mu \in r\}$ .

### Example 3.6

Consider the renaming of the table *encompasses*(Country, Continent, Percent):

$\bar{X} = [\text{Country}, \text{Continent}, \text{Percent}]$

Renaming:  $\bar{Y} = [\text{Code}, \text{Name}, \text{Percent}]$

$\rho[\text{Country} \rightarrow \text{Code}, \text{Continent} \rightarrow \text{Name}, \text{Percent} \rightarrow \text{Percent}](\text{encompasses})$		
<b>Code</b>	<b>Name</b>	<b>Percent</b>
R	Europe	20
R	Asia	80
D	Europe	100
⋮	⋮	⋮

□

### (Natural) Join

Assume  $r \in \text{Rel}(\bar{X})$  and  $s \in \text{Rel}(\bar{Y})$  for arbitrary  $\bar{X}, \bar{Y}$ .

Convention: Instead of  $\bar{X} \cup \bar{Y}$ , we also write  $\overline{XY}$ .

for two tuples  $\mu_1 = \boxed{v_1, \dots, v_n}$  and  $\mu_2 = \boxed{w_1, \dots, w_m}$ ,  $\mu_1\mu_2 := \boxed{v_1, \dots, v_n, w_1, \dots, w_m}$ .

Result format of  $r \bowtie s$ :  $\overline{XY}$ .

Result relation:  $r \bowtie s = \{\mu \in \text{Dup}(\overline{XY}) \mid \mu[\bar{X}] \in r \text{ and } \mu[\bar{Y}] \in s\}$ .

### Motivation

Simplest Case:  $\bar{X} \cap \bar{Y} = \emptyset \Rightarrow$  Cartesian Product  $r \bowtie s = r \times s$

$r \times s = \{\mu_1\mu_2 \in \text{Dup}(\overline{XY}) \mid \mu_1 \in r \text{ and } \mu_2 \in s\}$ .

$r =$	$\begin{array}{c c} A & B \\ \hline 1 & 2 \\ 4 & 5 \end{array}$	$s =$	$\begin{array}{c c} C & D \\ \hline a & b \\ c & d \\ e & f \end{array}$	$r \bowtie s =$	$\begin{array}{c c c c} A & B & C & D \\ \hline 1 & 2 & a & b \\ 1 & 2 & c & d \\ 1 & 2 & e & f \\ 4 & 5 & a & b \\ 4 & 5 & c & d \\ 4 & 5 & e & f \end{array}$
-------	---	-------	--	-----------------	---

### Example 3.7 (Cartesian Product of Continent and Encompasses)

<b>Continent × encompasses</b>				
<b>Name</b>	<b>Area</b>	<b>Continent</b>	<b>Country</b>	<b>Percent</b>
Europe	9562489.6	Europe	Germany	100
Europe	9562489.6	Europe	Russia	20
Europe	9562489.6	Asia	Russia	80
Europe	9562489.6	:	:	:
Africa	3.02547e+07	Europe	Germany	100
Africa	3.02547e+07	Europe	Russia	20
Africa	3.02547e+07	Asia	Russia	80
Africa	3.02547e+07	:	:	:
Asia	4.50953e+07	Europe	Germany	100
Asia	4.50953e+07	Europe	Russia	20
Asia	4.50953e+07	Asia	Russia	80
Asia	4.50953e+07	:	:	:
:	:	:	:	:

□



## Back to the Natural Join

General Case  $\bar{X} \cap \bar{Y} \neq \emptyset$ : shared attribute names constrain the result relation.

Again the definition:  $r \bowtie s = \{\mu \in \text{Dup}(\overline{XY}) \mid \mu[\bar{X}] \in r \text{ and } \mu[\bar{Y}] \in s\}$ .

### Example 3.8

Consider *encompasses*(country,continent,percent) and *is\_member*(organization,country,type):

<i>encompasses</i>			<i>is_member</i>		
Country	Continent	Percent	Organization	Country	Type
R	Europe	20	EU	D	member
R	Asia	80	UN	D	member
D	Europe	100	UN	R	member
:	:	:	:	:	:

$$\text{encompasses} \bowtie \text{is\_member} = \{\mu \in \text{Dup}(\text{country, cont, perc, org, type}) \mid \mu[\text{country, cont, perc}] \in \text{encompasses} \text{ and } \mu[\text{org, country, type}] \in \text{is\_member}\}$$

□

### Example 3.8 (Continued)

$$\text{encompasses} \bowtie \text{is\_member} = \{\mu \in \text{Dup}(\text{country, cont, perc, org, type}) \mid \mu[\text{country, cont, perc}] \in \text{encompasses} \text{ and } \mu[\text{org, country, type}] \in \text{is\_member}\}$$

start with  $(R, \text{Europe}, 20) \in \text{encompasses}$ .

check which tuples in *is\_member* match:

$(UN, R, \text{member}) \in \text{is\_member}$  matches:

result:  $(R, \text{Europe}, 20, UN, \text{member})$  belongs to the result.

(some more matches ...)

continue with  $(R, \text{Asia}, 80) \in \text{encompasses}$ .

$(UN, R, \text{member}) \in \text{is\_member}$  matches:

result:  $(R, \text{Asia}, 80, UN, \text{member})$  belongs to the result.

(some more matches ...)

continue with  $(D, \text{Europe}, 100) \in \text{encompasses}$ .

$(EU, D, \text{member}) \in \text{is\_member}$  matches:

result:  $(D, \text{Europe}, 100, EU, \text{member})$  belongs to the result.

$(UN, D, \text{member}) \in \text{is\_member}$  matches:

result:  $(D, \text{Europe}, 100, UN, \text{member})$  belongs to the result.

(some more matches ...)

### Example 3.8 (Continued)

Result:

<i>encompasses</i> × <i>is_member</i>				
<i>Country</i>	<i>Continent</i>	<i>Percent</i>	<i>Organization</i>	<i>Type</i>
<i>R</i>	<i>Europe</i>	<i>20</i>	<i>UN</i>	<i>member</i>
<i>R</i>	<i>Europe</i>	<i>20</i>	<i>:</i>	<i>:</i>
<i>R</i>	<i>Asia</i>	<i>80</i>	<i>UN</i>	<i>member</i>
<i>R</i>	<i>Asia</i>	<i>80</i>	<i>:</i>	<i>:</i>
<i>D</i>	<i>Europe</i>	<i>100</i>	<i>UN</i>	<i>member</i>
<i>D</i>	<i>Europe</i>	<i>100</i>	<i>EU</i>	<i>member</i>
<i>D</i>	<i>Europe</i>	<i>100</i>	<i>:</i>	<i>:</i>
<i>:</i>	<i>:</i>	<i>:</i>	<i>:</i>	<i>:</i>

□

### Example 3.9 (and Exercise)

Consider the expression

$continent \bowtie \rho[Country \rightarrow Code, Continent \rightarrow Name, Percent \rightarrow Percent](encompasses)$

□

#### Functionalities of the Join

- Combining relations
- Selective functionality: only matching tuples survive  
(consider joining cities and organizations on headquarters)

## DERIVED OPERATORS

#### Intersection

Assume  $r, s \in \text{Rel}(\bar{X})$ .

Then,  $r \cap s = \{\mu \in \text{Tup}(\bar{X}) \mid \mu \in r \text{ and } \mu \in s\}$ .

#### Theorem 3.1

Intersection can be expressed by Difference:  $r \cap s = r \setminus (r \setminus s)$ .

□

## Relational Division

Assume  $r \in \text{Rel}(\bar{X})$  and  $s \in \text{Rel}(\bar{Y})$  such that  $\bar{Y} \subsetneq \bar{X}$ .

Result format of  $r \div s$ :  $\bar{Z} = \bar{X} \setminus \bar{Y}$ .

The result relation  $r \div s$  is specified as “all  $\bar{Z}$ -values that occur in  $\pi[\bar{Z}](r)$ , with the additional condition that they occur in  $r$  together with **each of the  $\bar{Y}$  values that occur in  $s$** ”.

Formally,

$$r \div s = \{\mu \in \text{Dup}(\bar{Z}) \mid \{\mu\} \times s \subseteq r\} = \pi[\bar{Z}](r) \setminus \pi[\bar{Z}](\pi[\bar{Z}](r) \times s \setminus r).$$

this implies that  $\mu \in \pi[\bar{Z}](r)$

- Simple observation:  $\pi[\bar{Z}](r) \supseteq r \div s$ .  
This constrains the set of possible results.

90

### Example 3.10 (Relational Division)

Compute all countries that belong both to Europe and to Asia:

enc	
country	continent
R	Asia
R	Europe
IND	Asia
D	Europe
TR	Asia
TR	Europe
ET	Africa
ET	Asia
CH	Europe
:	:

cts
continent
Asia
Europe

Compute  $enc \div cts$ :

$\bar{X} = [\text{country}, \text{continent}]$ ,  $\bar{Y} = [\text{continent}]$

Thus,  $\bar{Z} = [\text{country}]$ .

Consider all values in  $\pi[\text{country}](enc)$ :

Start with “R”  $\in \pi[\text{country}](enc)$ :

for “Asia”  $\in cts$ : (“R”, “Asia”)  $\in enc$ .

for “Europe”  $\in cts$ : (“R”, “Europe”)  $\in enc$ .

**OK. “R” belongs to the result.**

Continue with “IND”  $\in \pi[\text{country}](enc)$ :

for “Asia”  $\in cts$ : (“IND”, “Asia”)  $\in enc$ .

for “Europe”  $\in cts$ : (“IND”, “Europe”)  $\notin enc$ .

**“IND” does not belong to the result.**

:

“TR” belongs to the result.

“ET” does not belong to the result.

“CH” does not belong to the result.

□

91

### Example 3.10 (Cont(d))

Consider again Example 3.10 and the formal algebraic characterization of Division:

$$r \div s = \{\mu \in \text{Dup}(\bar{Z}) \mid \{\mu\} \times s \subseteq r\} = \pi[\bar{Z}](r) \setminus \pi[\bar{Z}]((\pi[\bar{Z}](r) \times s) \setminus r).$$

1.  $r = \text{belongs\_to}$ ,  $s = \text{continent}$ ,  $Z = \text{Country}$ .
2.  $(\pi[\bar{Z}](r) \times s)$  contains all tuples of countries with Europe and Asia, e.g.,  $(\text{Germany}, \text{Europe})$ ,  $(\text{Germany}, \text{Asia})$ ,  $(\text{Russia}, \text{Europe})$ ,  $(\text{Russia}, \text{Asia})$
3.  $((\pi[\bar{Z}](r) \times s) \setminus r)$  contains all such tuples which are not “valid”, e.g.,  $(\text{Germany}, \text{Asia})$ .
4. projecting this to the countries yields all those countries where a non-valid tuple has been generated in (2), i.e., which do not belong both to Europe and Asia.
5.  $\pi[\bar{Z}](r)$  is the list of all countries ...
6. ... subtracting those computed in (4) yields those that belong both to Europe and Asia.  $\square$

### $\theta$ -Join

Combination of **Cartesian Product** and **Selection**:

Assume  $r \in \text{Rel}(\bar{X})$ , and  $s \in \text{Rel}(\bar{Y})$ , such that  $\bar{X} \cap \bar{Y} = \emptyset$ , and  $A \theta B$  a selection condition.

$$r \bowtie_{A \theta B} s = \{\mu \in \text{Dup}(\overline{XY}) \mid \mu[\bar{X}] \in r, \mu[\bar{Y}] \in s \text{ and } \mu \text{ satisfies } A \theta B\} = \sigma[A \theta B](r \times s).$$

### Equi-Join

$\theta$ -join that uses the “=”-predicate.

### Example 3.11 (and Exercise)

Consider again Example 3.7:

$\text{Continent} \times \text{encompasses}$  contained tuples that did not really make sense.

$(\text{Continent} \times \text{encompasses})_{\text{continent}=\text{name}}$  would be more useful.

Furthermore, consider

$\pi[\text{continent}, \text{area}, \text{code}, \text{percent}]((\text{Continent} \times \text{encompasses})_{\text{continent}=\text{name}})$ :

- removes the - now redundant - “name” column,
- is equivalent to the natural join  $(\rho[\text{name} \rightarrow \text{continent}]\text{continent}) \bowtie \text{encompasses}$ .  $\square$

## SEVERAL EXTENSIONS OF THE JOIN

- Join is the operator for combining relations

### Example 3.12

Consider a completely different database now for investigating joins.

- Persons work in divisions of a company
- Tools are assigned to the divisions

<b>Works</b>	
<b>Person</b>	<b>Division</b>
John	Production
Bill	Production
John	Research
Mary	Research
Sue	Sales

<b>Tools</b>	
<b>Division</b>	<b>Tool</b>
Production	hammer
Research	pen
Research	computer
Administration	typewriter

□

94

### Example 3.12 (Continued)

Consider the join of both tables:

<b>Works</b>	
<b>Person</b>	<b>Division</b>
John	Production
Bill	Production
John	Research
Mary	Research
Sue	Sales

<b>Tools</b>	
<b>Division</b>	<b>Tool</b>
Production	hammer
Research	pen
Research	computer
Admin.	typewriter

<b>Works <math>\bowtie</math> Tools</b>		
<b>Person</b>	<b>Division</b>	<b>Tool</b>
John	Production	hammer
Bill	Production	hammer
John	Research	pen
John	Research	computer
Mary	Research	pen
Mary	Research	computer

- there is no tuple that describes Sue
- there is no tuple that describes the administration or sales division
- there is no tuple that shows that there is a typewriter

□

95

## Semi-Join

Assume  $r \in \text{Rel}(\bar{X})$  and  $s \in \text{Rel}(\bar{Y})$  such that  $\bar{X} \cap \bar{Y} \neq \emptyset$ .

Result format:  $\bar{X}$

Result relation:  $r \bowtie s = \pi[\bar{X}](r \bowtie s)$

The semi-join  $r \bowtie s$  does *not* return the join, but checks which tuples of  $r$  “survive” the join with  $s$  (i.e., “which find a counterpart in  $s$  wrt. the shared attributes”):

### Example 3.13

Consider again Example 3.12:

<b>Works <math>\bowtie</math> Tools</b>	
<b>Person</b>	<b>Division</b>
John	Production
Bill	Production
John	Research
Mary	Research

<b>Works <math>\bowtie</math> Tools</b>	
<b>Division</b>	<b>Tool</b>
Production	hammer
Research	pen
Research	computer


□

- Used for subqueries: (main query)  $\bowtie$  (subquery)
- Used for optimizing the evaluation of joins (often in combination with indexes).


96

## Semi-Join: Example

Give the names of all countries where a city with at least 1.000.000 inhabitants is located:



- Have a short look “inside” the subquery, but don’t actually use it:
- look only if there is a big city in this country.
- “if the country code is in the set of country codes ...”:



97

## Outer Join

Assume  $r \in \text{Rel}(\bar{X})$  and  $s \in \text{Rel}(\bar{Y})$ .

Result format of  $r \bowtie s$ :  $\overline{XY}$

The outer join extends the “inner” join with all tuples that have no counterpart in the other relation (filled with null values):

### Example 3.14 (Outer Join)

Consider again Example 3.12

<i>Works</i> $\bowtie$ <i>Tools</i>		
<i>Person</i>	<i>Division</i>	<i>Tool</i>
John	Production	hammer
Bill	Production	hammer
John	Research	pen
John	Research	computer
Mary	Research	pen
Mary	Research	computer
Sue	Sales	NULL
NULL	Admin	typewriter

□

98

Formally, the result relation is defined as follows:

$J = r \bowtie s$  — take the (“inner”) join as base

$r_0 = r \setminus \pi[\bar{X}](J) = r \setminus r \bowtie s$  —  $r$ -tuples that “are missing”

$s_0 = s \setminus \pi[\bar{Y}](J) = s \setminus r \bowtie s$  —  $s$ -tuples that “are missing”

$Y_0 = \bar{Y} \setminus \bar{X}$ ,  $X_0 = \bar{X} \setminus \bar{Y}$

Let  $\mu_1 \in \text{Tuple}(Y_0)$ ,  $\mu_2 \in \text{Tuple}(X_0)$  such that  $\mu_1, \mu_2$  consist only of *null* values

$$r \bowtie s = J \cup (r_0 \times \{\mu_1\}) \cup (s_0 \times \{\mu_2\}).$$

### Example 3.14 (Continued)

For the above example,

$J = \text{Works} \bowtie \text{Tools}$

$r_0 = [\text{“Sue”, “Sales”}]$ ,  $s_0 = [\text{“Admin”, “Typewriter”}]$

$Y_0 = \text{Tool}$ ,  $X_0 = \text{Person}$

$$\mu_1 = \begin{array}{|c|} \hline \text{Tool} \\ \hline \text{null} \\ \hline \end{array} \quad \mu_2 = \begin{array}{|c|} \hline \text{Person} \\ \hline \text{null} \\ \hline \end{array}$$

$$r_0 \times \{\mu_1\} = \begin{array}{|c|c|c|} \hline \text{Person} & \text{Division} & \text{Tool} \\ \hline \text{Sue} & \text{Sales} & \text{null} \\ \hline \end{array}$$

$$s_0 \times \{\mu_2\} = \begin{array}{|c|c|c|} \hline \text{Person} & \text{Division} & \text{Tool} \\ \hline \text{null} & \text{Admin} & \text{Typewriter} \\ \hline \end{array}$$

□

99

## Generalized Natural Join

Assume  $r_i \subseteq \text{Dup}(\bar{X}_i)$ .

Result format:  $\cup_{i=1}^n \bar{X}_i$

Result relation:  $\bowtie_{i=1}^n r_i = \{\mu \in \text{Dup}(\cup_{i=1}^n \bar{X}_i) \mid \mu[\bar{X}_i] \in r_i\}$

### Exercise 3.1

Prove that the natural join is commutative (which makes the generalized natural join well-defined):

$$\begin{aligned} \bowtie_{i=1}^n r_i &= ((\dots((r_1 \bowtie r_2) \bowtie r_3) \bowtie \dots) \bowtie r_n) \\ &= (r_1 \bowtie (r_2 \dots (r_{n-1} \bowtie r_n) \dots)) \end{aligned}$$

□


## EXPRESSIONS

- inductively defined: combining expressions by operators

### Example 3.15

The names of all cities where (i) headquarters of an organization are located, and (ii) that are capitals of a member country of this organization.

As a tree:



□

Note that there are many equivalent expressions.



## EXPRESSIONS IN THE RELATIONAL ALGEBRA AS QUERIES

Let  $\mathbf{R} = \{R_1, \dots, R_k\}$  a set of relation schemata of the form  $R_i(\bar{X}_i)$ . As already described, an **database state** to  $\mathbf{R}$  is a **structure**  $\mathcal{S}$  that maps every relation name  $R_i$  in  $\mathbf{R}$  to a relation  $\mathcal{S}(R_i) \subseteq \text{Tuple}(\bar{X}_i)$

Every algebra expression  $Q$  defines a **query** against the state  $\mathcal{S}$  of the database:

- For given  $\mathbf{R}$ ,  $Q$  is assigned a **format**  $\Sigma_Q$  (the format of the answer).
- For every database state  $\mathcal{S}$ ,  $\mathcal{S}(Q) \subseteq \text{Tuple}(\Sigma_Q)$  is a relation over  $\Sigma_Q$ , called the **answer set** for  $Q$  wrt.  $\mathcal{S}$ .
- $\mathcal{S}(Q)$  can be computed according to the inductive definition, starting with the innermost (atomic) subexpressions.
- Thus, the relational algebra has a **functional semantics**.

102

## SUMMARY: INDUCTIVE DEFINITION OF EXPRESSIONS

### Atomic Expressions

- For an arbitrary attribute  $A$  and a constant  $a \in \text{dom}(A)$ , the **constant relation**  $A : \{a\}$  is an algebra expression.  
 $\Sigma_{A:\{a\}} = [A]$  and  $\mathcal{S}(A : \{a\}) = A : \{a\}$
- Every relation name  $R$  is an algebra expression.  
 $\Sigma_R = \bar{X}$  and  $\mathcal{S}(R) = \mathcal{S}(R)$ .

103

## SUMMARY (CONT'D)

### Compound Expressions

Assume algebra expressions  $Q_1, Q_2$  that define  $\Sigma_{Q_1}, \Sigma_{Q_2}, \mathcal{S}(Q_1)$ , and  $\mathcal{S}(Q_2)$ .

Compound algebraic expressions are now formed by the following rules (corresponding to the algebra operators):

### Union

If  $\Sigma_{Q_1} = \Sigma_{Q_2}$ , then  $Q = (Q_1 \cup Q_2)$  is the **union** of  $Q_1$  and  $Q_2$ .

$\Sigma_Q = \Sigma_{Q_1}$  and  $\mathcal{S}(Q) = \mathcal{S}(Q_1) \cup \mathcal{S}(Q_2)$ .

### Difference

If  $\Sigma_{Q_1} = \Sigma_{Q_2}$ , then  $Q = (Q_1 \setminus Q_2)$  is the **difference** of  $Q_1$  and  $Q_2$ .

$\Sigma_Q = \Sigma_{Q_1}$  and  $\mathcal{S}(Q) = \mathcal{S}(Q_1) \setminus \mathcal{S}(Q_2)$ .

### Projection

For  $\emptyset \neq \bar{Y} \subseteq \Sigma_{Q_1}$ ,  $Q = \pi[\bar{Y}](Q_1)$  is the **projection** of  $Q_1$  to the attributes in  $\bar{Y}$ .

$\Sigma_Q = \bar{Y}$  and  $\mathcal{S}(Q) = \pi[\bar{Y}](\mathcal{S}(Q_1))$ .

104

## INDUCTIVE DEFINITION OF EXPRESSIONS (CONT'D)

### Selection

For a selection condition  $\alpha$  over  $\Sigma_{Q_1}$ ,  $Q = \sigma[\alpha]Q_1$  is the **selection** from  $Q_1$  wrt.  $\alpha$ .

$\Sigma_Q = \Sigma_{Q_1}$  and  $\mathcal{S}(Q) = \sigma[\alpha](\mathcal{S}(Q_1))$ .

### Natural Join

$Q = (Q_1 \bowtie Q_2)$  is the **(natural) join** of  $Q_1$  and  $Q_2$ .

$\Sigma_Q = \Sigma_{Q_1} \cup \Sigma_{Q_2}$  and  $\mathcal{S}(Q) = \mathcal{S}(Q_1) \bowtie \mathcal{S}(Q_2)$ .

### Renaming

For  $\Sigma_{Q_1} = \{A_1, \dots, A_k\}$  and  $\{B_1, \dots, B_k\}$  a set of attributes,  $\rho[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k]Q_1$  is the **renaming** of  $Q_1$

$\Sigma_Q = \{B_1, \dots, B_k\}$  and  $\mathcal{S}(Q) = \{\mu[A_1 \rightarrow B_1, \dots, A_k \rightarrow B_k] \mid \mu \in \mathcal{S}(Q_1)\}$ .

105

## Example

### Example 3.16

$Professor(PNr, Name, Office), Course(CNr, Credits, CName)$

$teach(PNr, CNr), examine(PNr, CNr)$

- For each professor (name) determine the courses he gives (CName).

$$\pi [Name, CName] ((Professor \bowtie teach) \bowtie Course)$$

- For each professor (name) determine the courses (CName) that he teaches, but that he does not examine.

$$\begin{aligned} & \pi [Name, CName] (( \\ & (\pi [Name, CNr] (Professor \bowtie teach)) \\ & \setminus \\ & (\pi [Name, CNr] (Professor \bowtie examine)) \\ & ) \bowtie Course) \end{aligned}$$

*Simpler expression:*

$$\pi [Name, CName] ((Professor \bowtie (teach \setminus examine)) \bowtie Course) \quad \square$$

## EQUIVALENCE OF EXPRESSIONS

Algebra expressions  $Q, Q'$  are called **equivalent**,  $Q \equiv Q'$ , if and only if for all structures  $S$ ,  $S(Q) = S(Q')$ .

Equivalence of expressions is the basis for **algebraic optimization**.

Let  $\text{attr}(\alpha)$  the set of attributes that occur in a selection condition  $\alpha$ , and  $Q, Q_1, Q_2, \dots$  expressions with formats  $X, X_1, \dots$

### Projections

- $\bar{Z}, \bar{Y} \subseteq \bar{X} \Rightarrow \pi[\bar{Z}](\pi[\bar{Y}](Q)) \equiv \pi[\bar{Z} \cap \bar{Y}](Q)$ .
- $\bar{Z} \subseteq \bar{Y} \subseteq \bar{X} \Rightarrow \pi[\bar{Z}](\pi[\bar{Y}](Q)) \equiv \pi[\bar{Z}](Q)$ .

### Selections

- $\sigma[\alpha_1](\sigma[\alpha_2](Q)) \equiv \sigma[\alpha_2](\sigma[\alpha_1](Q)) \equiv \sigma[\alpha_1 \wedge \alpha_2](Q)$ .
- $\text{attr}(\alpha) \subseteq \bar{Y} \subseteq \bar{X} \Rightarrow \pi[\bar{Y}](\sigma[\alpha](Q)) \equiv \sigma[\alpha](\pi[\bar{Y}](Q))$ .

### Joins

- $Q_1 \bowtie Q_2 \equiv Q_2 \bowtie Q_1$ .
- $(Q_1 \bowtie Q_2) \bowtie Q_3 \equiv Q_1 \bowtie (Q_2 \bowtie Q_3)$ .

## EQUIVALENCE OF EXPRESSIONS (CONT'D)

### Joins and other Operations

- $\text{attr}(\alpha) \subseteq \bar{X}_1 \cap \bar{X}_2 \Rightarrow \sigma[\alpha](Q_1 \bowtie Q_2) \equiv \sigma[\alpha](Q_1) \bowtie \sigma[\alpha](Q_2)$ .
- $\text{attr}(\alpha) \subseteq \bar{X}_1, \text{attr}(\alpha) \cap \bar{X}_2 = \emptyset \Rightarrow \sigma[\alpha](Q_1 \bowtie Q_2) \equiv \sigma[\alpha](Q_1) \bowtie Q_2$ .
- Assume  $V \subseteq \overline{X_1 X_2}$  and let  $W = \bar{X}_1 \cap \overline{V X_2}$ ,  $U = \bar{X}_2 \cap \overline{V X_1}$ .  
Then,  $\pi[V](Q_1 \bowtie Q_2) = \pi[V](\pi[W](Q_1) \bowtie \pi[U](Q_2))$ ;
- $\bar{X}_2 = \bar{X}_3 \Rightarrow Q_1 \bowtie (Q_2 \text{ op } Q_3) = (Q_1 \bowtie Q_2) \text{ op } (Q_1 \bowtie Q_3)$  where  $\text{op} \in \{\cup, -\}$ .

### Exercise 3.2

Prove some of the equalities (use the definitions given on the “Base Operators” slide). □

108

## EXPRESSIVE POWER OF THE ALGEBRA

### Transitive Closure

The transitive closure of a binary relation  $R$ , denoted by  $R^*$  is defined as follows:

$$\begin{aligned} R^1 &= R \\ R^{n+1} &= \{(a, b) \mid \text{there is an } s \text{ s.t. } (a, x) \in R^n \text{ and } (x, b) \in R\} \\ R^* &= \bigcup_{1.. \infty} R^n \end{aligned}$$

Examples:

- $\text{child}(x, y)$ :  $\text{child}^* = \text{descendant}$
- flight connections
- $\text{flows\_into}$  of rivers in MONDIAL

### Theorem 3.2

There is no expression of the relational algebra that computes the transitive closure of arbitrary binary relations  $r$ . □

109