

Chapter 5

Query Languages: XPath

- Network Data Model: no query language
- SQL – only for a flat data model, but a “nice” language (easy to learn, descriptive, relational algebra as foundation, clean theory, optimizations)
- OQL: SQL with object-orientation and path expressions
- Lorel (OEM): extension of OQL
- F-Logic: navigation in a graph by path expressions with additional conditions descriptive, complex.

191

REQUIREMENTS ON AN XML QUERY LANGUAGE

- suitable both for databases and for documents
- declarative: binding variables and using them
 - rule-based, or
 - SQL-style clause-based (which is in fact only syntactic sugar)
- binding variables in the rule body/selection clause: suitable for complex objects
 - navigation by path expressions, or
 - patterns
- generation of structure in the rule head/generating clause

192

EVOLUTION OF XPATH

- when defining a query language, constructs are needed for addressing and accessing individual elements/attributes or sets of elements/attributes.
- based on this *addressing mechanism*, a clause-based language is defined.

Early times of XML (1998)

different navigation formalisms of that kind:

- XSL Patterns (inside the stylesheet language)
- XQL (XML Query Language)
- XPointer (referencing of nodes/areas in an XML document)

used all the same basic idea with slight differences in the details:

- paths in UNIX notation
- conditions on the path

[/mondial/country\[@car_code="D"\]/city\[population > 100000\]/name](#)

193

5.1 XPath – the Basics

1999: specification of the navigation formalism as *W3C XPath*.

- Base: UNIX directory notation
 - in a UNIX directory tree: [/home/dbis/Mondial/mondial.xml](#)
 - in an XML tree: [/mondial/country/city/name](#)

Straightforward extension of the URL specification:

<http://.../dbis/Mondial/mondial.xml#mondial/country/city/name> [XPointer until 2002]

[http://.../dbis/Mondial/mondial.xml#xpointer\(mondial/country/city/name\)](http://.../dbis/Mondial/mondial.xml#xpointer(mondial/country/city/name)) [XPointer now]

- W3C: XML Path Language (XPath), Version 1.0 (W3C Recommendation 16. 11. 1999)
<http://www.w3.org/TR/xpath>
- W3C: XPath 2.0 and XQuery 1.0 (W3C Recommendation 23. 1. 2007)
<http://www.w3.org/TR/xquery>
- Tools: see Web page
 - XML (XQuery) database system “eXist”
 - lightweight tool “saxonXQ” (XQuery)

194

XPATH: NAVIGATION, SIMPLE EXAMPLES

XPath is based on the UNIX directory notation:

- `/mondial/country`
addresses all country elements in MONDIAL,
the result is a set of elements of the form
`<country code="..."> ... </country>`
- `/mondial/country/city`
addresses all city elements, that are direct subelements of country elements.
- `/mondial/country//city`
addresses all city elements that are subelements (in any depth) of country elements.
- `//city`
addresses all city elements in the current document.
- wildcards for element names:
`/mondial/country/*/city`
addresses all city elements that are grandchildren of country elements
(different from `/mondial/country//city` !)

195

... and now systematically:

XPATH: ACCESS PATHS IN XML DOCUMENTS

- Navigation paths
`/step/step.../step`
are composed by individual navigation steps,
- the result of each step is a set of nodes, that serve as input for the next step.
- each step consists of
`axis::nodetest[condition]*`
 - an axis (optional),
 - a test on the type and the name of the nodes,
 - (optional) predicates that are evaluated for the current node.
- paths are combined by the “/”-operator
- additionally, there are function applications
- the result of each XPath expression is a *sequence* of nodes or literals.

196

XPATH: AXES

Starting with a *current node* it is possible to navigate in an XML tree to several “directions” (cf. xmllint’s “cd”-command).

In each navigation step

path/axis::nodetest[condition]/path

the *axis* specifies in which direction the navigation takes place. Given the set of nodes that is addressed by *path*, for *each* node, the step is evaluated.

- Default: child axis: `child::country` \equiv `country`.
- Descendant axis: all sub-, subsub-, ... elements:
`country/ancestor::city`
selects all city elements, that are contained (in arbitrary depth) in a country element.
Note: `path//city` actually also addresses all these city elements, but “//” is *not* the exact abbreviation for “/descendant::” (see later).

197

XPATH: AXES

... another important axis:

- attribute axis:
`attribute::car_code` \equiv `@car_code`
wildcard for attributes: `attribute::*` selects all attributes of the current context node.
- and a less important:
self axis: `self::city` \equiv `./city`
selects the current element, *if* it is of the element type city.

for the above-mentioned axes there are the presented abbreviations. This is important for *XSL patterns* (see Slide 314):

XSL (match) patterns are those XPath expressions, that are built *without* the use of “axis::” (the abbreviations are allowed).

198

XPATH: AXES

Additionally, there are axes that do not have an abbreviation:

- parent axis: `//city[name="Berlin"]/parent::country`
selects the parent element of the city element that represents Berlin, *if* this is of the element type country.
(*only* the parent element, not all ancestors!)
- ancestor: all ancestors:
`//city[name="Berlin"]/ancestor::country` selects all country elements that are ancestors of the city element that represents Berlin (which results in the Germany element).
- siblings: `following-sibling::...`, `preceding-sibling::...`
for selecting nodes on the same level (especially in ordered documents).
- straightforward: “descendant-or-self” and “ancestor-or-self”.
Note: The popular short form `country//city` is defined as `country/descendant-or-self::node()/city`.
This makes a difference only in case of *context functions* (see Slide 219).

199

XPATH: AXES FOR USE IN DOCUMENT-ORIENTED XML

- following: all nodes after the context node in document order, excluding any descendants and excluding attribute nodes
- preceding: all nodes that are before the context node in document order, excluding any ancestors and excluding attribute nodes and namespace nodes

Note: For each element node x , the ancestor, descendant, following, preceding and self axes *partition* a document (ignoring attribute nodes): they do not overlap and together they contain all the nodes in the document.

Example:

Hamlet: what is the next speech of Lord Polonius after Hamlet said “To be, or not to be”?
(note: this can be in a subsequent scene or even act)

Exercise:

Provide equivalent characterizations of “following” and “preceding”

- i) in terms of “preorder” and “postorder”,
- ii) in terms of other axes.

200

XPATH: NODETEST

- The *nodetest* constrains the node type and/or the names of the selected nodes
- “*” as wildcard: `//city[name="Berlin"]/child::*`
returns all children.
- test if something is a node: `//city[name="Berlin"]/descendant::node()`
returns all descendant nodes.
- test if something is a node: `//city[name="Berlin"]/descendant::element()`
returns all descendant *elements* (note: not the text nodes).
- test if something is a text node: `//city[name="Berlin"]/descendant::text()`
returns all descendant *text nodes*.
`//city[name="Berlin"]/population/text()`
returns the text contents of the population element.
- test for a given element name:
`//country[name="Germany"]/descendant::element(population)`
or short form:
`//country[name="Germany"]/descendant::population`
returns all descendant *population elements*.

201

XPATH: TESTS

In each step

`path/axis::nodetest[condition]/path`

condition is a predicate over XPath expressions.

- The expression selects only those nodes from the result of `path/axis::nodetest` that satisfy *condition*. *condition* contains XPath expressions that are evaluated relative to the current *context node* of the respective step.
`//country[@car_code="D"]`
returns the country element whose `car_code` attribute has the value "D"
- When comparing an element with something, the `text()` method is applied implicitly:
`//country[name = "Germany"]` is equivalent to
`//country[name/text() = "Germany"]`
- If the right hand side of the comparison is a number, the comparison is automatically evaluated on numbers:
`//country[population > 1000000]`

202

XPATH: TESTS (CONT'D)

- boolean connectives “and” and “or” in *condition*:

`//country[population > 100000000 and @area > 5000000]`

`//country[population > 100000000 or @area > 5000000]`

- boolean “not” is a *function*:

`//country[not (population > 100000000)]`

- XPath expressions in *condition* have existential semantics:

The *truth value* associated with an XPath expression is *true*, if its result set is non-empty:

`//country[inflation]`

selects those countries that have a subelement of type inflation.

⇒ formal semantics: a path expression has

- a semantics as a result set, and
- a truth value!

203

XPATH: TESTS (CONT'D)

- XPath expressions in *condition* are not only “simple properties of an object”, but are path expressions that are evaluated wrt. the current context node:

`//city[population/@year='95']/name`

- Such comparisons also have existential semantics:

`//country[./city/name='Cordoba']/name`

returns the names of all countries, in which a city with name Cordoba is located.

`//country[not (./city/name='Cordoba')]/name`

returns the names of those countries where no city with name Cordoba is located.

Remark:

Note that `descendant::city` (relative) and `//city` (absolute) have different effect:

`//country[//city/name='Cordoba']/name`

returns the names of *all* countries (the filter just checks if there is *some* city with name Cordoba in the document).

204

XPATH: EVALUATION STRATEGY

- Input for each navigation step: A set of nodes (*context*)
- each of these nodes is considered separately for evaluation of the current step
- and returns zero or more nodes as (intermediate) result.
This intermediate result serves as context for the next step.
- finally, all partial results are collected and returned.

Example

- conditions can be applied to multiple steps

```
//country[population > 10000000]  
  //city[@is_capital and population > 1000000]  
    /name/text()
```

returns the names of all cities that have more than 1,000,000 inhabitants and that are the capital of a country that has more than 10,000,000 inhabitants.

205

ABSOLUTE AND RELATIVE PATHS

So far, conditions were always evaluated only “local” to the current element on the main navigation path.

- Paths that start with a name are *relative* paths that are evaluated against the current context node (used in conditions):

```
//city[name = “Berlin”]
```

- Semijoins: comparison with results of independent “subqueries”:

Paths that start with “/” or “//” are absolute paths:

```
//country[population > //country[@car_code='B']/population]/name
```

returns the names of all countries that have more inhabitants than Belgium

- conflict between “//” for absolute paths and for descendant axis:

```
//country[.//city/name=“Berlin”]
```

(equivalent: //country[descendant::city/name=“Berlin”])

can be used for starting a relative path.

206

XPATH: FUNCTIONS

Input: a node/value or a set of nodes/values.

Result: in most cases a value; sometimes one or more nodes.

- dereferencing (see Slide 209)
- access to text value and node name (see Slide 212)
- aggregate functions `count(node_set)`, `sum (node_set)`

`count(/mondial/country)`

returns the number of countries.

- context functions (see Slide 219)
- access to documents on the Web:

`doc("file or url")/path`

`doc('http://www.dbis.informatik.uni-goettingen.de/index.html')//text()`

(for querying external HTML documents, consider use of namespaces as described on Slide 230 - nodetests work only with namespace!)

- see W3C document *XPath/XQuery Functions and Operators*

207

IDREF ATTRIBUTES

- ID/IDREF attributes serve for expressing cross-references
- SQL-style: references can be resolved by semi-joins:
(similar to foreign keys in SQL)

`//city[@id = //organization[abbrev="EU"]/@headq]`

SQL equivalent (uncorrelated subquery):

```
SELECT *
FROM city
WHERE (name, country, province) IN
      (SELECT city, country, province
       FROM organization
       WHERE abbrev = 'EU')
```

... not a really elegant way in a graph-based data model ...

208

XPATH: DEREFERENCING

Access via “keys”/identifiers

The function `id(string*)` returns all elements (of the current document) whose id's are enumerated in `string*`:

- `id("D")` selects the element that represents Germany
(`country/@car_code` is declared as ID)
- `id(//country[car_code="D"]/@capital)`
yields the element node of type city that represents Berlin.

This notation is hard to read if multiple dereferencing is applied, e.g.

```
id(id(id(//organization[abbrev='IOC']/@headq)/@country)/@capital)/name
```

Alternative syntaxes:

```
//organization[abbrev='IOC']/id(@headq)/id(@country)/id(@capital)/name  
//organization[abbrev='IOC']/@headq/id(./)/@country/id(./)/@capital/id(./)/name
```

209

XPath: Dereferencing (Cont'd)

Analogously for multi-valued reference attributes (IDREFS):

- `//country[@car_code="D"]/@memberships`
returns "org-EU org-NATO ..."
- `id(//country[@car_code="D"]/@memberships)`
`//country[@car_code="D"]/id(@memberships)`
returns the set of all elements that represent an organisation where Germany is a member.
- `id(//organization[abbrev="EU"]/members/@country)`
`//organization[abbrev="EU"]/members/id(@country)`
returns all countries that are members (of some kind) in the EU.

210

Aside: Dereferencing by Navigation [Currently not supported]

Syntax:

attribute::nodetest⇒*elementtype*

Examples:

- `//country[car_code="D"]/@capital⇒city/name`
yields the element node of type city that represents Berlin.
- `//country[car_code="D"]/@memberships⇒organization`
yields elements of type organization.
- Remark: this syntax is not supported by all XPath Working Drafts:
 - XPath 1.0: no
 - has originally be introduced by Quilt (2000; predecessor of XQuery)
 - XPath 2.0: early drafts yes, later no
 - announced to be re-introduced later ...

211

XPATH: STRING() FUNCTION

The *function string()* returns the string value of a node:

- straightforward for elements with text-only contents:
`string(//country[name='Germany']/population)`
Note: for these (and only for these!) nodes, `text()` and `string()` have the same semantics.
- for attributes: `//country[name='Germany']/string(@area)`
Note: an attribute node is a name-value pair, not only a string (will be illustrated when constructing elements later in XQuery)!
free-standing attribute nodes as result cannot be printed!
- the `string()` function can also be appended to a path; then the argument is each of the context nodes: `//country[name='Germany']/name/string()`
- the string value of a subtree is the concatenation of all its text nodes:
`//country[@name='Germany']/string()`
Note: compare with `//country[@name='Germany']/text()` which lists all text nodes.
- `string()` *cannot* be applied to node sequences: `string(//country[name='Germany']/name)`
results in an error message.
(see W3C XPath and XQuery Functions and Operators).

212

XPATH: SOME MORE DETAILS ON COMPARISONS

- in the above examples, all predicate expressions like `[name="Berlin"]` or `[@car_code="D"]` always *implicitly* compare the string value of nodes, e.g., here the string values of `<name>Berlin</name>` or `attribute: (car_code, "D")`.

Usage of Numbers

- comparisons using `>` and `<` and a number literal given in the query implicitly cast the string values as *numeric* values.

```
//city[population > 200000]
```

returns the all cities with a population higher than 200,000.

```
//city[population > '200000']
```

returns the all cities with a population *alphabetically* "bigger" than 200,000, e.g., 3500, but not 1,000,000!

```
//city[population > //city[name="Munich"]/population]
```

does *not* recognize that numerical values are meant:

All cities with population lexically bigger than "1244676" are returned.

```
//city[population > //city[name="Munich"]/population/number()]
```

It is sufficient to apply the `number()` casting function (see later) to one of the operands.

XPATH: COMPARISON BETWEEN NODES

Usage of Node Identity

- as seen above, the `"="` predicate uses the string values of nodes.

In most cases, this is implicitly correct:

Consider the following query: "Give all countries whose capital is the headquarter of an organization":

```
//country[id(@capital)=//organization/id(@headq)]/name
```

Compares the overall string values of city elements, e.g., "Brussels 4.35 50.8 951580".

- but for empty nodes, the result is not as intended ...

Comparison by Node Identity: "a is b"

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE mondial-simple SYSTEM "mondial-simple.dtd">
<mondial-simple>
  <country car_code="D" capital="Berlin"/>    <city name="Berlin"/>
  <country car_code="B" capital="Brussels"/>  <city name="Brussels"/>
  <organization name="EU" headq="Brussels"/>
</mondial-simple>
```

[Filename: XPath/node-comparison.xml]

- the query `//country[id(@capital)=//organization/id(@headq)]/string(@car_code)` yields "D" and "B".
- Comparison by *node identity* is done by "is":
`//country[id(@capital) is //organization/id(@headq)]/string(@car_code)`
 - "is" is only provided since XPath 2.0
 - "is" allows only one node as argument, not a node sequence
(\Rightarrow XQuery: not something bound by "let \$x := node sequence")
- Aside: "deep equality" of nodes can be tested with the predicate `deep-equal(x, y)`.
(by this, two subtrees can be checked to have the same structure+contents)

215

XPATH: PREDICATES AND OPERATIONS ON STRINGS

- `concat(string, string, string*)`
- `startswith(string, string)`
`//city[starts-with(name,'St.')] /name`
- `contains(string, string)`
`//city[contains(name,'bla')] /name`
- `substring-before(string, string, int?)`
- `substring-after(string, string, int?)`
- `substring(string, int, int)`: the substring consisting of i_2 characters starting with the i_1 th position.

216

XPATH: NAME FUNCTION

- the function `name()` returns the element name of the current node:
 - `name(//country[@car_code='D'])` or `//country[@car_code='D']/name()`
 - `//*[name='Monaco' and not (name()='country')]` yields only the city element for Monaco.

XPATH: IDREF FUNCTION

- the function `idref(string*)` returns all nodes that have an IDREF value that refers to one of the given strings (note that the results are attribute nodes):
`idref('D')/parent::* /name` yields the name elements of all “things” that reference Germany.

217

FUNCTIONS ON NODESETS

- Aggregation: `count(nodeset)`, `sum(nodeset)`, analogously `min`, `max`, `avg`
`sum(//country[encompassed/id(@continent)/name="Europe"]/population)`
`count(//country)`
all numeric functions implicitly cast to numeric values (double).
- removal of duplicates:
 - recall that the XPath strategy works on *sets of nodes* in each step - duplicate *nodes* are automatically removed:
`//country/encompassed/id(@continent)/name`
 - function `distinct-values(nodeset)`:
takes the *string values* of the nodes and removes duplicates:
`doc('hamlet.xml')//SPEAKER`
returns lots of `<SPEAKER>... </SPEAKER>` *nodes*.
`distinct-values(doc('hamlet.xml')//SPEAKER)`
returns only the different (text) *values*.
- and many more (see W3C XPath/XQuery Functions and Operators).

218

XPATH: CONTEXT FUNCTIONS

- All functions retain the order of elements from the XML document (document order).
- the `position()` function yields the position of the current node in the current result set.

`/mondial/country[position()=6]`

Abbreviation: `[x]` instead of `[position()=x]`; `[-1]` yields the last node:

`/mondial/country[population > 1000000][6]`

selects the 6th country that has more than 1,000,000 inhabitants (in document order, not the one with the 6th highest population!)

`/mondial/country[6][population > 1000000]`

selects the 6th country, if it has more than 1,000,000 inhabitants.

- the `last()` function returns the position of the last elements of the current sub-results, i.e., the size of the result.

`//country[position()=last()]`

219

XPATH: CONTEXT FUNCTIONS (CONT'D)

- consider again the “//” abbreviation (cf. Slide 199):
 - `/mondial/descendant::city[18]` selects the 18th city in the document,
 - `/mondial/descendant-or-self::node()/city[18]` selects each city which is the 18th child of its parent (country or province).
(note that some implementations are buggy in this point ...)
- Example queries against `mondial.xml` and `hamlet.xml`.

220

XPATH: FORWARD- AND BACKWARD AXES

- the result of each query is a *sequence of nodes*
- document order (and final results): forward
- context functions: forward or backward
- all axes enumerate results starting from the current node.
 - forward axes: child, descendant, following, following-sibling
 - backward axes: ancestor, preceding, preceding-sibling
 - `//table/preceding-sibling::h4//text()`
selects all preceding h4 elements (section headers).
The result is -as always- output in document order
 - `//table/preceding-sibling::h4[1]//text()`
selects the last preceding section header (context function on backward axis)
 - undirected: self, parent, attribute (and namespace)
- only relevant for queries against document-oriented XML.

221

EXTENSIONS WITH XPATH 2.0

- further string- and aggregate functions
- more complex path constructs (alternatives, parentheses)
 - `(//city//country)[name='Monaco']`
`/mondial/country/(city|(province/city))/name`
- extended subscript operator:
 - `//country[population > 1000000][-3]`
 - `//country[population > 1000000][5-10]`
 - `//country[population > 1000000][1,5-10,-3]`
- ANY and ALL semantics for *condition*:
 - `//country[ALL city/population > 1000000]`
 - `//country[ANY city/population > 1000000]`
(countries where all/at least one city has more than 1000000 inhabitants)
- extending the language to more than usual navigation ...
- alignment of the whole XML world (XPath, XQuery) with datatypes (data model and XML Schema)

222

5.2 Aside: Namespaces

The names in an XML instance (i.e., tag names and the attribute names) actually consist of two parts:

- localpart + namespace (which can be empty, as in the previous examples)

Use of Namespaces

- a namespace is similar to a language: defining a set of names and sometimes having a DTD (if intended as an XML vocabulary).
- e.g. “mondial:city”, “bib:book”, “xhtml:tr” “dc:author”, “xsl:template” etc.
- used for distinguishing coinciding element names in different application areas.
- each namespace is associated with a URI (which can be a “real” URL), and abbreviated by a *namespace prefix* in the document.
- e.g., associate the namespace prefix `xhtml` with url `http://www.w3.org/1999/xhtml`. these things will become clearer when investigating the RDF, RDFS, and Semantic Web Data Models.

223

USAGE OF NAMESPACES IN XML DOCUMENTS

- each element can have (or can be in the scope of) multiple *namespace declarations* (represented by a node in the data model, similar to an attribute node).
- namespace declarations are inherited to subelements
- the element/tag name and the attribute names can then use one of the declared namespaces.
By that, every element can have one *primary namespace* and “knows” several others.

Alternatives:

1. node has no namespace (e.g. mondial),
 2. document declares a default namespace (for all elements (not the attributes!) that do not get an explicit one (often in XHTML pages)),
 3. elements have an explicit namespace (multiple namespaces allowed in a document; e.g. an XSL document that operates with XHTML markup and “mondial:” nodes).
- (2) and (3) are semantically equivalent.

... see next slides.

224

EXPLICIT NAMESPACE IN AN XML DOCUMENT

```
<xh:html xmlns:xh="http://www.w3.org/1999/xhtml">
  <xh:body>
    <xh:h3>Header</xh:h3>
    <xh:a href="http://www.informatik.uni-goettingen.de">IFI</xh:a>
  </xh:body>
</xh:html>
```

[Filename: XML-DTD/xhtml-expl-namespace.xml]

- Note: attribute is not in the HTML namespace!

This is actually already not XPath, but a simple XQuery query:

```
declare namespace ht = "http://www.w3.org/1999/xhtml";
/ht:html//ht:a/string(@href)
```

[Filename: XPath/xhtml-query.xq]

- Note: the namespace *must* be used in the query, i.e., “ht:html” is different from just “html”
- more accurate, it means something like `<{http://www.w3.org/1999/xhtml}html>...</...>` since not the chosen namespace prefix matters, but only the URI assigned to it.

225

TWO EXPLICIT NAMESPACE IN AN XML DOCUMENT

- “Dublin Core” defines a vocabulary for metadata description of resources (here: of XML documents); cf. <http://dublincore.org/documents/dces/>

```
<xh:html xmlns:xh="http://www.w3.org/1999/xhtml"
        xmlns:dc="http://purl.org/dc/elements/1.1/">
  <dc:creator>John Doe</dc:creator>
  <dc:date>1.1.2000</dc:date>
  <xh:body> ... </xh:body> </xh:html>
```

[Filename: XML-DTD/xhtml-expl-namespaces.xml]

```
declare namespace ht = "http://www.w3.org/1999/xhtml";
declare namespace dc = "http://purl.org/dc/elements/1.1/";
/ht:html//dc:creator/text()
```

[Filename: XPath/xhtml-dc-query.xq]

- the document is *not* valid wrt. the XHTML DTD since it contains additional “alien” elements.
(combination of languages is a problem in XML – this is better solved in RDF/RDFS)
- in RDF, dc:creator from above expands to the URI <http://purl.org/dc/elements/1.1/creator>.

226

DEFAULT NAMESPACES IN AN XML DOCUMENT

- a Default Namespace can be assigned to an element (and inherited to all its subelements where it is not overwritten):

```
<html xmlns="http://www.w3.org/1999/xhtml"
      xmlns:dc="http://purl.org/dc/elements/1.1/">
  <dc:creator>John Doe</dc:creator>
  <date xmlns="http://purl.org/dc/elements/1.1/">1.1.2000</date>
  <body> ... </body> </html>
```

[Filename: XML-DTD/xhtml-def-namespaces.xml]

```
declare namespace ht = "http://www.w3.org/1999/xhtml";
declare namespace dc = "http://purl.org/dc/elements/1.1/";
/ht:html/dc:date/text()
```

[Filename: XPath/xhtml-dc-def-query.xq]

227

NAMESPACES AND ATTRIBUTES

- Namespaces are *not* inherited to attributes in any case. If an attribute should be associated with a namespace, this *must* be done explicitly:

```
<ht:html xmlns:ht="http://www.w3.org/1999/xhtml">
  <ht:body>
    <ht:a href="1+" ht:href="2-">IFI</ht:a>
    <x:a xmlns:x="http://www.w3.org/1999/xhtml" href="3+" x:href="4-">IFI</x:a>
    <a xmlns="http://www.w3.org/1999/xhtml" href="5+" ht:href="6-">IFI</a>
  </ht:body> </ht:html>
```

[Filename: XML-DTD/namespaces-attr.xml]

```
declare namespace ht = "http://www.w3.org/1999/xhtml";
/ht:html//ht:a/@href/string()
```

[Filename: XPath/namespaces-attr-query.xq]

- the “HTML-correct” attributes “1+”, “3+”, and “5+” are returned,
- the query `/ht:html//ht:a/@href/string()` returns the “wrong” attributes “2-”, “4-”, and “6-”.

228

DECLARING NAMESPACES IN THE DTD DOCUMENT

- introduce default namespace in the DTD as attribute of the root element (e.g. in XHTML):

```
<!ELEMENT html (head, body)>
<!ATTLIST html
  xmlns %URI; #FIXED 'http://www.w3.org/1999/xhtml' >
```

- XHTML instance:

```
<html xmlns="http://www.w3.org/1999/xhtml"> <body> ... </body></html>
```

- introduce explicit namespaces as attribute of the root element (e.g. in XHTML):

```
<!ELEMENT html (head, body)>
<!ATTLIST html xmlns:xh %URI; #FIXED 'http://www.w3.org/1999/xhtml' >
```

This is used with RDF/XML in the Semantic Web

229

EXAMPLE: QUERYING XHTML IN PRESENCE OF NAMESPACES

XHTML DTD at <http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd> contains:

```
<!ELEMENT html (head, body)>
<!ATTLIST html id ID #IMPLIED
  xmlns %URI; #FIXED 'http://www.w3.org/1999/xhtml'>
```

Sample XHTML files:

- DBIS Web pages:

```
declare namespace h = "http://www.w3.org/1999/xhtml";
doc('http://www.dbis.informatik.uni-goettingen.de/')//h:li/h:a/@href/string()
[Filename: XPath/web-queries.xq]
```

- DBIS WWW2002 paper: in the local exist at /db/xmlcourse/xlink.htm

```
declare namespace ht = "http://www.w3.org/1999/xhtml";
doc('/db/xmlcourse/xlink.htm')//ht:h1
[Filename: XPath/exist-xhtml-query.xq]
```

230

DECLARING A DEFAULT NAMESPACE IN XQUERY

XQuery allows to declare default namespaces for elements and for functions:

- are then added to each element and function step, respectively;
- not for attributes (recall that namespaces from elements are not inherited to attributes). (cf. Slide 228)

```
declare default element namespace "http://www.w3.org/1999/xhtml";  
/html//a/@href/string()
```

[Filename: XPath/namespaces-default-query.xq]

- the “HTML-correct” attributes “1+”, “3+”, and “5+” are returned,
- the equivalent query is `/h:html//h:a/@href/string()`.

231

5.3 XPath: The Limits

- addressing only sets of nodes
- not “give all pairs of ...”
- the highest mountain in Africa:

```
doc('mondial.xml')//mountain[  
  id(id(located/@country)/encompassed/@continent)/name='Africa'  
  and  
  not (height <  
    //mountain[  
      id(id(located/@country)/encompassed/@continent)/name='Africa']/height)]  
/name
```

[Filename: XPath/highestmountain.xq]

... comparison only by semijoins in the condition.

- for *each* continent, give the highest mountain?
not possible: two properties of the same object (height, continent) must be compared independently → **requires variable binding**

232

5.4 XPath: Conclusion

What can XPath do?

Comparison with relational operators

- selection: yes (selection of values and of (sub)structures)
- projection/reduction: no. Only complete nodes can be selected
- join/combination: no. Only semi-joins can be expressed in the conditions

Other functionality:

- correlated subqueries: inside the conditions as semijoins
- restructuring of the results: no
- only following a “main path” for navigating to nodes (including semijoins)

⇒ only a fragment of a query language for addressing nodes.

- compared with SQL, XPath is only a unary “FROM” clause!
- XQL (Software AG, 1998/1999) for some time followed (as one of the predecessors of XPath) an approach to add join variables and constructs for projection and restructuring/grouping to the path language.

233

IMPORTANCE OF XPATH IN THE XML-WORLD

- addressing mechanism for nodes in XML documents
- navigation in the tree structure
- serves as base for different concepts:
 - XQuery
 - XSL/XSLT: stylesheets, transformation language
 - other query languages
 - XML Schema
 - XPointer/XLink

234