# 1. Unit: Exercises to XML

Information about the XML course can be found at http://www.stud.informatik.uni-goettingen.de/xml-lecture

## Exercise 1.1 (XML-Tree vs Directory-Tree)

Load mondial-europe.xml into xmllint and browse through the directory structure. First, change into the country element of Germany, then into the city of Göttingen. Then, change into the next city in the document.

Links to xmllint and the Mondial database can be found at

http://www.stud.informatik.uni-goettingen.de/xml-lecture.

### Exercise 1.2 (Student-DTD)

- Write a DTD for XML documents with student data: name, address and a student id, one or more subjects (computer science, law, chemistry, sociology etc)
- Write an XML document containing student data conforming to the DTD, and check it for validity using *xmllint*.

## Exercise 1.3 (HTML-XHTML)

- Find a simple HTML document (e.g. your own personal student homepage) and convert it by hand from HTML to XHTML.
- Check the XHTML document for validity using the XHTML validator (http://validator.w3.org/detailed.html).

Hint: In your home directory in the CIP pool, there is a directory public\_html which is your personal web directory. Files there are accessible via

http://student.ifi.informatik.uni-goettingen.de/~<username>/<filename>.

#### Exercise 1.4 (DFAs and DTDs)

Consider the following DTD:

```
<!ELEMENT date (day,month,year?)>
<!ELEMENT day (#PCDATA)>
<!ELEMENT month (#PCDATA)>
<!ELEMENT year (#PCDATA)>
<!ELEMENT a (date*)>
<!ELEMENT b (#PDCATA)>
<!ELEMENT c (b+|(b?,a)*)>
```

Define a deterministic finite automaton for each element definition which accepts the corresponding content model.

#### Exercise 1.5 (Is XML a context-free language?) Consider XML as a formal language.

- (a) is the language of all XML documents of a given document type, specified by a DTD that does not contain any attributes context-free?
- (b) consider the case where the DTD contains attributes.
- (c) is the *language of all well-formed XML documents*, without known document type, or with no document type at all context-free?